

Rittal – The System.

Faster – better – everywhere.

► Kompaktni rasklopni ormari AE Oplemenjeni čelik – AE 1015.600

Date : 2018.12.07

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Kompaktni rasklopni ormari AE Oplemenjeni čelik – AE 1015.600

created: 07.12.2018 build on www.rittal.com/hr-hr



Product description

| | |
|--|---|
| Material: | Enclosure: Stainless steel Door: Stainless steel, all-round foamed-in PU seal Mounting plate: Sheet steel Stainless steel 1.4301 (AISI 304) Lock insert: Die-cast zinc, nickel-plated |
| Surface finish: | Enclosure and door: Brushed, grain 400, peak-to-valley height < 0.8 µm Mounting plate: Zinc-plated |
| Protection category IP to IEC 60 529: | IP 66 |
| Protection category NEMA: | NEMA 4X |
| IK Code: | IK08 |
| Supply includes: | Montažna ploča |
| Basic material: | Oplemenjeni čelik |

Product features

| | |
|------------------------|--|
| Dimensions: | Width: 400 mm Height: 500 mm Depth: 210 mm |
| Mounting plate: | Width: 354 mm Height: 475 mm |

| | |
|------------------------------------|---|
| Number of doors: | 1 |
| Lock version: | Cam |
| Number of locks: | 2 |
| Lock insert: | 3 mm double-bit |
| Packs of: | 1 pc(s). |
| Weight/pack: | 12,9 kg |
| EAN: | 4028177583917 |
| Customs tariff number: | 94032080 |
| ETIM 6.0: | EC000261 |
| ETIM 5.0: | EC000261 |
| eCl@ss 8.0/8.1: | 27180101 |
| eCl@ss 7.0/7.1: | 27180101 |
| eCl@ss 6.0/6.1: | 27180101 |
| eCl@ss 5.1/5.1.4: | 27180102 |
| Product description (long): | AE Compact enclosure, WHD: 400x500x210 mm, Stainless steel 1.4301, with mounting plate, single-door, with two cam locks |
| Approvals | |
| Approvals: | CSA DNV-GL Lloyds Register of Shipping RRR Russian Maritime Register of Shipping TÜV UL + C-UL |
| Certificates: | EAC IK-Code Protection category |
| Declarations: | Declaration of conformity |