## Rittal - The System.

Faster – better – everywhere.

## Rail for interior installation for AE – AE 2383.300

Date: Dec 16, 2019



ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

## Rail for interior installation for AE - AE 2383.300

created: 16.12.2019 on www.rittal.com/com-en



UKAA	 ~~~	ription
	 0000	
	 4000	1001011

**Description:** For mounting in the enclosure, no machining required. Suitable for all-round mounting

on the sides, base and roof areas. Variable with 2 rows of system punchings, creates additional mounting space e.g. for: TS punched section, enclosure lights, door-operated

switch, door stay, cable conduit holder

Material: Sheet steel

Surface finish: Zinc-plated

Note: Other mounting options: Mounting plates, locatable, TS 8612.400

> Mounting plates, screw-fastening, large, TS 8612.410 Mounting plates, screw-fastening, small, PS 4532.000

Mounting bracket, PS 4597.000

## **Product features**

To fit: Enclosure type: AE

Depth: = 300 mm

Packs of: 4 pc(s).

Weight/pack: 0.92 kg

Copper weight (kg per piece):

EAN: 4028177687431

**Customs tariff** number:

83024900

0

© Rittal 2019

1

ETIM 7.0:	EC002625	
ETIM 6.0:	EC002625	
e CI@ss 8.0/8.1:	27189234	
e CI@ss 6.0/6.1:	23159101	
Product description:	AE Rail for interior installation, for AE, for D: 300 mm	
Approvals		
Certificates:	EAC	

© Rittal 2019