

Rittal – The System.

Faster – better – everywhere.

Lock insert – SZ 2527.000

Date : Dec 17, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Lock insert – SZ 2527.000

created: 17.12.2019 on www.rittal.com/com-en



Product description

Design: C

Material: Die-cast zinc

Product features

To fit:
Enclosure type: AE with stainless steel cam
Enclosure type: Based on AE with stainless steel cam
Enclosure type: One-piece console - stainless steel console cover

Dimensions: Length: 41 mm

Lock insert: 7 mm triangular

Packs of: 1 pc(s).

Weight/pack: 0.02 kg

Copper weight (kg per piece): 0

EAN: 4028177026599

Customs tariff number: 83015000

ETIM 7.0: EC000743

ETIM 6.0: EC000743

eCl@ss 8.0/8.1:	27409218
------------------------	----------

eCl@ss 6.0/6.1:	27409218
------------------------	----------

Product description:	SZ Lock insert, version C, Die-cast zinc, 7 mm triangular, L: 41 mm
-----------------------------	---

Approvals

Certificates:	EAC
----------------------	-----