

Rittal – The System.

Faster – better – everywhere.

System windows for VX, TS, SE – FT 2736.530

Date : Dec 13, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



System windows for VX, TS, SE – FT 2736.530

created: 13.12.2019 on www.rittal.com/com-en



Product description

Design:	60 section
Description:	To conceal display and operating instruments or cut-outs, and to protect against dirt and liquids as well as unauthorised access.
Benefits:	<p>Base frame: Easily screw-fastened to the door thanks to modified dimensions (tubular door frame may be used as a drilling template).</p> <p>Base frame: Readily height-adjustable.</p> <p>Base frame: Stabilises the door cut-out.</p> <p>Base frame: Conceals the cut edge.</p> <p>Base frame: There is no dirt on the seal, the glass is protected from being lifted out, dirt cannot drop inside, and moisture cannot run behind the window when opening.</p> <p>Base frame: Frame section height 30 mm or 60 mm</p> <p>Viewing window: Made from single-pane safety glass: High level of resistance to solvents and scratches, anti-static, reduced risk of injury if broken.</p> <p>Viewing window: Standard double-bit lock insert may be exchanged for lock inserts 27 mm, type A, and/or for lock system Ergoform-S (except H = 270 mm).</p> <p>Viewing window: Hinge with 180° opening angle, easily inserted.</p>
Material:	Extruded aluminium section with die-cast zinc corner pieces and single-pane safety glass.
Surface finish:	<p>Base frame: Powder-coated on the outside in RAL 7035</p> <p>Hinge and lock section: Natural-anodised</p>
Protection category IP to IEC 60 529:	IP 54
Note:	Standard double-bit lock insert may be exchanged for lock inserts 27 mm, type A, and/or for lock system Ergoform-S (except H = 270 mm).

Product features

To fit: Enclosure type: VX
Enclosure type: TS
Enclosure type: SE
Width: = 600 mm

Dimensions: Width: 500 mm
Height: 570 mm
Depth: 77 mm

Viewing area: Width: 363 mm
Height: 498 mm

Build depth for components (max.): 63 mm

Packs of: 1 pc(s).

Weight/pack: 6.1 kg

Copper weight (kg per piece): 0

EAN: 4028177476431

Customs tariff number: 76101000

ETIM 7.0: EC002527

ETIM 6.0: EC002527

eCl@ss 8.0/8.1: 27182301

eCl@ss 6.0/6.1: 27182301

Product description: FT System window, for TS, SE, 60 section, WHD: 500x570x77 mm, for W: 600 mm

Approvals

Certificates: EAC