Rittal – The System.

Faster – better – everywhere.

Section for cable entry, rear for VX – VX 8618.812

Date : Dec 18, 2019



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Section for cable entry, rear for VX – VX 8618.812

created: 18.12.2019 on www.rittal.com/com-en



| D I | 4 | | 4.5 |
|------------|-------|--------|-------|
| Prod | uct (| descri | ntion |
| 1 104 | uvi | 163611 | Puvii |

Benefits: Simple assembly

Full-surface support

High level of sealing of cables inserted into the enclosure

Applications: For top-mounting on gland plates and base opening

Material: Extruded aluminium section

Seal: PU foam

Cross-section: 30 x 25 mm

Protection category IP to IEC 60 529:

IP 55 if installed correctly

Supply includes:

Plug-in sections, incl. foam rubber clamp strip

Note:

You will need two pieces per cable entry point.

From an enclosure width of 1000 mm, the base assembly is divided into two sections in

the width. Two cable entry points (left/right) may be used.

Product features

To fit: Width: = 1000 mm

Packs of: 4 pc(s).

Weight/pack: 0.36 kg

Copper weight (kg

per piece):

EAN:

4028177922815

© Rittal 2019

| Customs tariff number: | 76042990 |
|------------------------|--|
| ETIM 7.0: | EC002624 |
| ETIM 6.0: | EC002624 |
| e Cl@ss 8.0/8.1: | 27189265 |
| e CI@ss 6.0/6.1: | 27400604 |
| Product description: | VX Section for cable entry, rear, for W: 1000 mm |

© Rittal 2019 2