

# Rittal – The System.

Faster – better – everywhere.

## C rails for TS, SE – DK 7828.050

Date : Jan 1, 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# C rails for TS, SE – DK 7828.050

created: 01.01.2020 on [www.rittal.com/com-en](http://www.rittal.com/com-en)



## Product description

**Description:** For direct external mounting between the vertical TS, SE enclosure sections. The angle bracket, C-section, is additionally required for mounting between the horizontal TS, SE enclosure sections. Due to the universally designed attachment piece, the C rails may optionally be attached to the inner or outer level of the TS 8 frame.

**Material:** Sheet steel

**Surface finish:** Zinc-plated

**Supply includes:** Assembly parts

## Product features

**To fit:** Enclosure type: TS  
Enclosure type: SE  
Width: = 500 mm  
Depth: = 500 mm

**Dimensions:** Length: 398 mm

**Packs of:** 4 pc(s).

**Weight/pack:** 1.63 kg

**Copper weight (kg per piece):** 0

**EAN:** 4028177235045

**Customs tariff** 73269098

<b>number:</b>	
<b>ETIM 7.0:</b>	EC000386
<b>ETIM 6.0:</b>	EC000386
<b>eCl@ss 8.0/8.1:</b>	27400501
<b>eCl@ss 6.0/6.1:</b>	23159101
<b>Product description:</b>	DK C rails, L: 398 mm, For WxD: 500 mm, For TS, SE