

Rittal – The System.

Faster – better – everywhere.

Compact enclosures AE – AE 1038.500

Date : Apr 22, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Compact enclosures AE – AE 1038.500

created: 22.04.2019 on www.rittal.com/com-en



Product description

Material:	Enclosure: Sheet steel Door: Sheet steel, all-round foamed-in PU seal
Surface finish:	Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated
Colour:	RAL 7035
Protection category IP to IEC 60 529:	IP 66
Protection category NEMA:	NEMA 4
IK Code:	IK08
Supply includes:	Enclosure with hinged door(s), of all-round solid construction Gland plate(s) in enclosure base Mounting plate Lock: 3 mm double-bit

Basic material:	Sheet steel
------------------------	-------------

Product features

Dimensions:	Width: 380 mm Height: 600 mm Depth: 210 mm
Material thickness:	Enclosure: 1.38 mm Door: 1.5 mm Mounting plate: 2.5 mm

Mounting plate:	Width: 334 mm Height: 570 mm
Number of doors:	1
Door hinged on the right, may be swapped to the left:	yes
Lock version:	Cam
Number of locks:	2
Lock insert:	3 mm double-bit
Gland plate, size:	3
Gland plate, qty.:	1
Packs of:	1 pc(s).
Weight/pack:	15.6 kg
EAN:	4028177252035
Customs tariff number:	94032080
ETIM 6.0:	EC000261
ETIM 5.0:	EC000261
eCl@ss 8.0/8.1:	27180101
eCl@ss 7.0/7.1:	27180101
eCl@ss 6.0/6.1:	27180101
eCl@ss 5.1/5.1.4:	27180102
Product description:	AE Compact enclosure, WHD: 380x600x210 mm, Sheet steel, with mounting plate, single-door, with two cam locks
Approvals	
Approvals:	CSA DNV-GL Lloyds Register of Shipping RRR

Certificates:	EAC IK-Code Protection category
Declarations:	Declaration of conformity