

Rittal – The System.

Faster – better – everywhere.

Cable gland, brass – SZ 2411.861

Date : Dec 24, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Cable gland, brass – SZ 2411.861

created: 24.12.2019 on www.rittal.com/com-en



Product description

Benefits:	Because the gland and lock nut are sold together in a single pack, this saves additional ordering and storage. Clamping membranes for even tightening and strain relief to protect the cables
------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Material:	Brass Seal: TPE/NBR
------------------	------------------------

Surface finish:	Nickel-plated
------------------------	---------------

Protection category IP to IEC 60 529:	IP 68 (5 bar, 30 min)
--------------------------------------------------	-----------------------

Product features

Dimensions:	Height: 52 mm
--------------------	---------------

Thread:	Type: M50 x 1.5
----------------	-----------------

Thread length:	9 mm
-----------------------	------

Operating temperature:	Operation (environment): -40 °C...+100 °C
-----------------------------------	-------------------------------------------

Width across flats:	58 mm
----------------------------	-------

Packs of:	2 pc(s).
------------------	----------

Weight/pack:	0.47 kg
---------------------	---------

Copper weight (kg)	0
---------------------------	---

per piece):

EAN: 4028177810037

Customs tariff number: 74199990

ETIM 7.0: EC000441

ETIM 6.0: EC000441

eCl@ss 8.0/8.1: 27149109

eCl@ss 6.0/6.1: 27149109

Product description: SZ Cable gland, brass, size: M50x1,5, for cables ø 27-38 mm

Approvals

Approvals: UL + C-UL
VDE

Certificates: EAC

Declarations: Declaration of conformity