

Rittal – The System.

Faster – better – everywhere.

System windows for VX, TS, SE – FT 2735.540

Date : Dec 18, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



System windows for VX, TS, SE – FT 2735.540

created: 18.12.2019 on www.rittal.com/com-en



Product description

Design: 30 section

Description: To conceal display and operating instruments or cut-outs, and to protect against dirt and liquids as well as unauthorised access.

Benefits:

- Base frame: Easily screw-fastened to the door thanks to modified dimensions (tubular door frame may be used as a drilling template).
- Base frame: Readily height-adjustable.
- Base frame: Stabilises the door cut-out.
- Base frame: Conceals the cut edge.
- Base frame: There is no dirt on the seal, the glass is protected from being lifted out, dirt cannot drop inside, and moisture cannot run behind the window when opening.
- Base frame: Frame section height 30 mm or 60 mm
- Viewing window: Made from single-pane safety glass: High level of resistance to solvents and scratches, anti-static, reduced risk of injury if broken.
- Viewing window: Standard double-bit lock insert may be exchanged for lock inserts 27 mm, type A, and/or for lock system Ergoform-S (except H = 270 mm).
- Viewing window: Hinge with 180° opening angle, easily inserted.

Material: Extruded aluminium section with die-cast zinc corner pieces and single-pane safety glass.

Surface finish: Base frame: Powder-coated on the outside in RAL 7035
Hinge and lock section: Natural-anodised

Protection category IP to IEC 60 529: IP 54

Note: Standard double-bit lock insert may be exchanged for lock inserts 27 mm, type A, and/or for lock system Ergoform-S (except H = 270 mm).

Product features

To fit: Enclosure type: VX
Enclosure type: TS
Enclosure type: SE
Width: = 600 mm

Dimensions: Width: 500 mm
Height: 670 mm
Depth: 47 mm

Viewing area: Width: 363 mm
Height: 598 mm

Build depth for components (max.): 33 mm

Packs of: 1 pc(s).

Weight/pack: 5.8 kg

Copper weight (kg per piece): 0

EAN: 4028177476325

Customs tariff number: 76101000

ETIM 7.0: EC002527

ETIM 6.0: EC002527

eCl@ss 8.0/8.1: 27182301

eCl@ss 6.0/6.1: 27182301

Product description: FT System window, for TS, SE, 30 section, WHD: 500x670x47 mm, for W: 600 mm

Approvals

Certificates: EAC
