Rittal - The System.

Faster – better – everywhere.

Support strip for VX, TS, SE, CM, TP, AX – TS 4695.000

Date : Dec 17, 2019



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Support strip for VX, TS, SE, CM, TP, AX – TS 4695.000 created: 17.12.2019 on www.rittal.com/com-en



Product descriptio	n
Description:	For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment.
Material:	Sheet steel
Surface finish:	Zinc-plated
Technical specifications:	4.5 mm diameter hole on a 25 mm DIN pitch pattern.
Supply includes:	Assembly parts
Product features	
To fit:	Enclosure type: VX Enclosure type: TS Enclosure type: SE Width/depth: 500 mm
Dimensions:	Length: 440 mm
Installation options:	On the inner and outer mounting level, on the enclosure section For cable routing from the mounting plate to the door In the AX enclosure door with cam lock On the perforated door strip in AX stainless steel
Packs of:	20 pc(s).
Weight/pack:	4.6 kg

© Rittal 2019

Copper weight (kg per piece):	0
EAN:	4028177108134
Customs tariff number:	73269098
ETIM 7.0:	EC002620
ETIM 6.0:	EC002620
e CI@ss 8.0/8.1:	27189261
e Cl@ss 6.0/6.1:	27189261
Product description:	TS Support strip, for TS, SE, CM, TP, for the outer mounting level: for W/D: 500 mm, L: 440 mm
Approvals	
Certificates:	EAC

© Rittal 2019