Rittal - The System.

Faster – better – everywhere.

C rails for TS, SE – DK 7828.100

Date: Dec 21, 2019



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

C rails for TS, SE - DK 7828.100

created: 21.12.2019 on www.rittal.com/com-en



_			4.5
Pro	duct	descri	ntion
	aast	463011	\mathbf{p}

Description: For direct external mounting between the vertical TS, SE enclosure sections. The angle

bracket, C-section, is additionally required for mounting between the horizontal TS, SE enclosure sections. Due to the universally designed attachment piece, the C rails may

optionally be attached to the inner or outer level of the TS 8 frame.

Material: Sheet steel

Surface finish: Zinc-plated

Supply includes: Assembly parts

Product features

To fit: Enclosure type: TS

Enclosure type: SE Width: = 1000 mm Depth: = 1000 mm

Dimensions: Length: 898 mm

Packs of: 4 pc(s).

Weight/pack: 3.14 kg

Copper weight (kg 0 per piece):

EAN: 4028177235144

Customs tariff 73269098

© Rittal 2019

number:

ETIM 7.0:	EC000386	
ETIM 6.0:	EC000386	
e CI@ss 8.0/8.1:	27400501	
e CI@ss 6.0/6.1:	23159101	
Product description:	DK C rails, L: 898 mm, For WxD: 1000 mm, For TS, SE	

© Rittal 2019 2